


ITEM	QTY -041	P/N	DESCRIPTION
	X	D5366-041	CARGO NET ASSY
1	1	D5366-043	TOP PANEL ASSEMBLY
2	1	D5366-045	FWD PANEL ASSEMBLY
3	1	D5366-047	AFT PANEL ASSEMBLY
4	2	D5366-049	SIDE PANEL ASSEMBLY

TABLE 1:TOLERANCES	RANGE
+/- 0.13	0<2"
+/- 0.25	2<10"
+/- 0.50	10<20"
+/- 0.63	20<40"
+/- 1.5%	>40"
+/- 5°	ANGLES



D5366-041 CARGO NET ASSY

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1 UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: WITH SEWN ON LABEL "DART AEROSPACE LTD P/N D5366-041"
- 7) WEIGHT: 9 LBS (REFERENCE ONLY)
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH 0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS
- 9) D5366-045/-047/-049(2) PANEL ASSEMBLIES SEWN TO D5366-043 TOP PANEL ASSY WITH DOUBLE CONTINUOUS STITCH ALONG SEAM, 0.8 SPACING, CENTERED ON WEBBING.

F	SHEETS 3 AND 4: ADDED (2) D-RINGS WITH LOOPS AND MOVED EXISTING D-RINGS OFF CENTER, D-RINGS ADDED TO UNDERSIDE. SHT 6: DELETED -53. SHEET 11: DELETED -31 AND REPLACE WITH -23. SHEET 14: DELETED -39 AND ADD 3X -7 AND 6X -31. SHEET 15: REDESIGN -31. REASON: CUSTOMER FEEDBACK POST TRIAL INSTALLATION.	AJS	16.09.27
E	SHT 3 ADDED ITEM 11. SHT 4 ADDED DETAIL A (D RING ROTATED 90°). SHT 4-51 WAS -41. SHT 6 ADDED -53. SHT 14-39 WAS 36.0 LONG. REASON: FACILITATE INSTALLATION.	AJS	16.09.09
D	ADD SHEET 2 (INSPECTION DIMENSIONS), REVISE NOTE 3 (SHEETS 2-15), ADD TABLE 1: TOLERANCES (SHEET 1), 0.8 X 0.8 BOX STITCH WAS 1.8 X 0.8 (SHEET 4), CORRECT PART WEIGHT (SHEET 1, 2), REMOVE PART WEIGHTS (SH 7, 10, 13)ADD TYPE VIIIb TO 2" WEBBING MATERIAL (SHEET 6), ADDED TOLERANCES TO LOCATION OF D5366-41 ONTO D5366-043 (SHEET 4)	DB	16.06.09
C	MAKE WEIGHTS REFERENCE ONLY(NOTE 7,SH 1,2,6,9,12), ADD D5366-41 CARIBINER STRAP (2 PL, SH 2,3), ADD D5366-5 D RING (2 PL), ADD D5366-21 D RING LOOP (2 PL, SH 2,3)	DB	16.05.19
B	DELETE D5366-141, ADD D5321-5, D5366-21D RING LOOP WAS D5366-21 HANGER LOOP	DB	16.02.08
A	NEW ISSUE	DB	15.11.27
REV.	DESCRIPTION	BY	DATE

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO.	REV. F
MFG. APPR.	DD	D5366	SHEET 1 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2016-09-30
EN 16-647

APPROVED




ITEM	QTY -043	P/N	DESCRIPTION
	X	D5366-043	TOP PANEL ASSY
1	12	D5321-5	D RING
2	1	D5366-1	TOP PANEL WEBBING
3	1	D5366-3	TOP PANEL MESH
4	4	D5366-5	LONG LOOP
5	6	D5366-7	SHORT LOOP
6	2	D5366-9	SIDE SEAM
7	1	D5366-11	FWD SEAM
8	1	D5366-13	AFT SEAM
9	8	D5366-21	D RING LOOP
10	2	D5366-51	CARABINER STRAP

D


C

B

A




DETAIL A: TYPICAL MESH-TO-WEBBING STITCH PATTERN



DETAIL B: TYPICAL SEAM-TO-WEBBING STITCH PATTERN
(SHOWN FROM UNDERSIDE OF WEBBING, MESH REMOVED)

NOTES:
 1) MATERIAL: N/A
 2) FINISH: N/A
 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: N/A
 6) IDENTIFICATION: N/A
 7) WEIGHT: N/A
 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
 0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS




D5366-043 TOP PANEL ASSY
(EXPLODED VIEW)

APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO.	REV. F
MFG. APPR.	DD	D5366	SHEET 3 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2016-09-30




NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH 0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS.

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WM	DRAWING NO.	REV. F
MFG. APPR.	DD	D5366	SHEET 4 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	<small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




NOTES:

- 1) MATERIAL: WEBBING MATERIAL: 1" NYLON, MIL-W-4088, TYPE XVII, CLASS 1 OR 1A, COLOR BLACK
 THREAD: NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO V-T-295 TYPE II
 (OR A-A-59826) CLASS A, SIZE FF, COLOR BLACK
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
 0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS.

RELEASED
 2016-09-30
 APPROVED


DESIGN	DB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WM	DRAWING NO.	REV. F
MFG. APPR.	DD	D5366	SHEET 5 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




- NOTES:
- 1) MATERIAL: 100% H.T. NYLON MESH BLACK (NOM. 12 X 24 HOLES PER INCH), 0.045 THICK, STYLE TP21J (APEX MILLS CORPORATION) OR MARION #8885
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: N/A

RELEASED
2016-09-30
APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO. D5366	REV. F
MFG. APPR.	DD	SHEET 6 OF 16	
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



ITEM	QTY -045	P/N	DESCRIPTION
	X	D5366-045	FWD PANEL ASSY
1	1	D5366-15	FWD PANEL WEBBING
2	1	D5366-17	FWD PANEL MESH
3	1	D5366-19	FWD PANEL POCKET
4	6	D5366-23	BUCKLE STRAP



D5366-045 FWD PANEL ASSY
(EXPLODED VIEW)


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO.	REV. F
MFG. APPR.	DD	D5366	SHEET 8 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:


- 1) MATERIAL: D5366-15: WEBBING MATERIAL: 1" NYLON, MIL-W-4088, TYPE XVII, CLASS 1 OR 1A, COLOR BLACK
THREAD: NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO V-T-295 TYPE II
(OR A-A-59826) CLASS A, SIZE FF, COLOR BLACK
D5366-23: WEBBING MATERIAL: 1" NYLON, MIL-W-4088, TYPE XVII, CLASS 1 OR 1A, COLOR RED
THREAD: NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO V-T-295 TYPE II
(OR A-A-59826) CLASS A, SIZE FF, COLOR BLACK
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS
- 9) D5366-17 FWD PANEL MESH AND D5366-19 FWD PANEL POCKET SEWN TO D5366-15 FWD PANEL WEBBING WITH TRIPLE CONTINUOUS STITCH
CENTERED ON WEBBING, 0.4" SPACING (PER DETAIL A, SHEET 2).

RELEASED
2016-09-30
APPROVED

D5366-15 FWD PANEL WEBBING

D5366-23 BUCKLE STRAP
6 PL

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO. D5366	REV. F
MFG. APPR.	DD	SHEET 9 OF 16	
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D5366-17 FWD PANEL MESH

D5366-19 FWD PANEL POCKET

NOTES:


- 1) MATERIAL: 100% H.T. NYLON MESH BLACK (NOM. 12 X 24 HOLES PER INCH), 0.045 THICK, STYLE TP21J (APEX MILLS CORPORATION) OR MARION #8885
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO.	REV. F
MFG. APPR.	DD	D5366	SHEET 10 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

ITEM	QTY -047	P/N	DESCRIPTION
	X	D5366-047	AFT PANEL ASSY
1	1	D5366-25	AFT PANEL WEBBING
2	1	D5366-27	AFT PANEL MESH
3	6	D5366-23	BUCKLE STRAP
4	1	D5366-29	AFT PANEL POCKET



D5366-047 AFT PANEL ASSY
(EXPLODED VIEW)


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO. D5366	REV. F
MFG. APPR.	DD	SHEET 11 OF 16	
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:

1) MATERIAL: D5366-25: WEBBING MATERIAL: 1" NYLON, MIL-W-4088, TYPE XVII, CLASS 1 OR 1A, COLOR BLACK
THREAD: NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO V-T-295 TYPE II
(OR A-A-59826) CLASS A, SIZE FF, COLOR BLACK

2) FINISH: NONE

3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: N/A

6) IDENTIFICATION: NONE

7) WEIGHT: N/A


8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS

9) D5366-27 AFT PANEL MESH AND D5366-29 AFT PANEL POCKET SEWN TO D5366-25 AFT PANEL WEBBING WITH TRIPLE CONTINUOUS STITCH
CENTERED ON WEBBING, 0.4 SPACING (PER DETAIL A, SHEET 2).

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WM	DRAWING NO.	REV. F
MFG. APPR.	DD	D5366	SHEET 12 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




- NOTES:
- 1) MATERIAL: 100% H.T. NYLON MESH BLACK (NOM. 12 X 24 HOLES PER INCH), 0.045 THICK, STYLE TP21J (APEX MILLS CORPORATION) OR MARION #8885
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: N/A

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO. D5366	REV. F SHEET 13 OF 16
MFG. APPR.	DD	TITLE AW139 CARGO NET	SCALE NTS
APPROVED	WM		
DE APPR.	DS		
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -049	P/N	DESCRIPTION
	X	D5366-049	SIDE PANEL ASSY
1	3	D5366-7	SHORT LOOP
2	6	D5366-31	CINCH STRAP
3	1	D5366-33	SIDE PANEL WEBBING
4	1	D5366-35	SIDE PANEL MESH
5	1	D5366-37	SIDE PANEL POCKET




D5366-049 SIDE PANEL ASSY
(EXPLODED VIEW)

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A
 - 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO. D5366	REV. F
MFG. APPR.	DD	SHEET 14 OF 16	
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	<small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




NOTES:

- 1) MATERIAL: D5366-33: WEBBING MATERIAL: 1" NYLON, MIL-W-4088, TYPE XVII, CLASS 1 OR 1A, COLOR BLACK
THREAD: NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO V-T-295 TYPE II (OR A-A-59826) CLASS A, SIZE FF, COLOR BLACK
D5366-31: WEBBING MATERIAL: 1" NYLON, MIL-W-4088, TYPE XVII, CLASS 1 OR 1A, COLOR RED
THREAD: NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO V-T-295 TYPE II (OR A-A-59826) CLASS A, SIZE FF, COLOR BLACK
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH
0.8" X 0.8" BOX 'X' STITCHING TYPICAL AT ALL WEBBING INTERSECTIONS
- 9) D5366-35 SIDE PANEL MESH AND D5366-37 SIDE PANEL POCKET SEWN TO D5366-33 SIDE PANEL WEBBING WITH TRIPLE CONTINUOUS STITCH
CENTERED ON WEBBING, 0.4 SPACING (PER DETAIL A, SHEET 2).


RELEASED
2016-09-30

APPROVED



D5366-31 CINCH STRAP

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO. D5366	REV. F
MFG. APPR.	DD		SHEET 15 OF 16
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:

- 1) MATERIAL: 100% H.T. NYLON MESH BLACK (NOM. 12 X 24 HOLES PER INCH), 0.045 THICK, STYLE TP21J (APEX MILLS CORPORATION) OR MARION #8885
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1, SH 1, UNLESS OTHERWISE STATED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

RELEASED
2016-09-30

APPROVED

DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	WM	DRAWING NO. D5366	REV. F
MFG. APPR.	DD	SHEET 16 OF 16	
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	AW139 CARGO NET	NTS
DATE	16.09.27	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	